

# Developer docs of WP-Client core and Extensions

Here you can find description of hooks of WP-Client core and Extensions

If you do not see the hook that you need, you can contact our Dev Team, and ask them to add the hook for you - [Ask here](#)

## Hooks:

### Add more actions on Admins page

**Hook:** wpc\_client\_more\_actions\_admins

**Description:** Hook runs before display more actions on Admins page.

**Type:** filter

**For:** wp-client

**Since:** 3.9.5

**Params:** string \$error

### Add more actions on Clients page

**Hook:** wpc\_client\_more\_actions\_clients

**Description:** Hook runs before display more actions on Clients page.

**Type:** filter

**For:** wp-client

**Since:** 3.7.6.1

**Params:** array \$actions, array \$client\_data

### Client Updated

**Hook:** wpc\_client\_clients\_deleted

**Description:** Hook runs when Client account is updated.

**Type:** action

**For:** wp-client

**Since:** 3.4.1

**Params:** int \$client\_id, array \$userdata

## List of convertible roles

**Hook:** wpc\_client\_convertible\_user\_roles

**Description:** Filter add to list convertible roles

**Type:** filter

**For:** wp-client

**Since:** 3.7.5.2

**Params:** array \$wpc\_roles

## Convert to client

**Hook:** wpc\_client\_convert\_to\_client

**Description:** Hook runs when user converted to Client.

**Type:** action

**For:** wp-client

**Since:** 4.1.6

**Params:** int \$client\_id

## Action that convert users by ID

**Hook:** wpc\_client\_convert\_user

**Description:** Action that convert users by ID

**Type:** action

**For:** wp-client

**Since:** 3.7.5.2

**Params:** string \$convert\_to, array \$user\_ids

## Convert user settings

**Hook:** wpc\_client\_convert\_user\_settings

**Description:** Filter add settings for convert user

**Type:** filter

**For:** wp-client

**Since:** 3.7.5.2

**Params:** string \$html, string \$role

## Add more actions on Client's Staff page

**Hook:** wpc\_client\_more\_actions\_staff

**Description:** Hook runs before display more actions on Client's Staff page.

**Type:** filter

**For:**

wp-client

**Since:** 3.9.5

**Params:** string \$error

## Staff Edit Form

**Hook:** wpc\_client\_edit\_staff\_form\_html

**Description:** Can be used for adding custom fields on Staff Edit Form.

**Type:** action

**For:** wp-client

**Since:** 3.9.0

**Params:** int \$id

## Staff Add Form

**Hook:** wpc\_client\_add\_staff\_form\_html

**Description:** Can be used for adding custom fields on Staff Add Form.

**Type:** action

**For:** wp-client

**Since:** 3.9.0

**Params:**

## Validate Edit Client Form

**Hook:** wpc\_client\_validate\_edit\_client\_fields

**Description:** Hook runs before saving client data on Edit Client form.

**Type:** filter

**For:** wp-client

**Since:** 3.4.9

**Params:** string \$error

## Validate Add Client Form

**Hook:** wpc\_client\_validate\_add\_client\_fields

**Description:** Hook runs before saving client data on Add Client form.

**Type:** filter

**For:** wp-client

**Since:** 3.4.9

**Params:** string \$error

## Client Edit Form

**Hook:** wpc\_client\_edit\_client\_form\_html

**Description:** Can be used for adding custom fields on Client Edit Form.

**Type:** action

**For:** wp-client

**Since:** 3.4.8

**Params:** int \$id

## Client Add Form

**Hook:** wpc\_client\_add\_client\_form\_html

**Description:** Can be used for adding custom fields on Client Add Form.

**Type:** action

**For:** wp-client

**Since:** 3.4.8

**Params:**

## Client Edit Form

**Hook:** wpc\_client\_edit\_client\_after\_username

**Description:** Can be used for adding custom fields on Client Edit Form after username field.

**Type:** action

**For:** wp-client

**Since:** 3.4.8

**Params:** int \$id

## Client Add Form

**Hook:** wpc\_client\_add\_client\_after\_username

**Description:** Can be used for adding custom fields on Client Add Form after username field.

**Type:** action

**For:** wp-client

**Since:** 3.4.8

**Params:**

## HTML before dashboard widgets

**Hook:** wpc\_client\_dashboard\_before\_widgets

**Description:** Hook runs when Dashboard loaded.

**Type:** filter

**For:**

wp-client

**Since:** 3.8.8

**Params:** string \$html

## HTML after dashboard widgets

**Hook:** wpc\_client\_dashboard\_after\_widgets

**Description:** Hook runs when Dashboard loaded.

**Type:** filter

**For:** wp-client

**Since:** 3.8.8

**Params:** string \$html

## Add more actions on Managers page

**Hook:** wpc\_client\_more\_actions\_managers

**Description:** Hook runs before display more actions on Managers page.

**Type:** filter

**For:** wp-client

**Since:** 3.9.5

**Params:** string \$error

## Manager Data Saved

**Hook:** wpc\_client\_manager\_data\_saved

**Description:** Can be used for saving custom fields on Manager Add/Edit Form.

**Type:** action

**For:** wp-client

**Since:** 3.4.8

**Params:** int \$manager\_id, array \$manager\_data

## Manager Updated

**Hook:** wpc\_client\_manager\_updated

**Description:** Hook runs when Manager account is updated.

**Type:** action

**For:** wp-client

**Since:** 3.4.8

**Params:** int \$manager\_id, array \$manager\_data

## Manager Created

**Hook:** wpc\_client\_manager\_created

**Description:** Hook runs when Manager account is created.

**Type:** action

**For:** wp-client

**Since:** 3.4.8

**Params:** int \$manager\_id

## Manager Add/Edit Form

**Hook:** wpc\_client\_manager\_add\_edit\_form\_html

**Description:** Can be used for adding custom fields on Manager Add/Edit Form.

**Type:** action

**For:** wp-client

**Since:** 3.4.8

**Params:** array \$manager\_data

## Change email settings

**Hook:** wpc\_client\_email\_sending\_data

**Description:** Hook filtered email settings before save it to database.

**Type:** filter

**For:** wp-client

**Since:** 3.7.5.2

**Params:** string \$type, array \$data, array \$old\_data

## Import one item of some type

**Hook:** wpc\_client\_item\_import\_ . \$type

**Description:** Can be used for filter item data when doing import.

**Type:** filter

**For:** wp-client

**Since:** 4.0.2

**Params:** bool \$result, array \$data

## Build Export CSV data

**Hook:** wpc\_client\_item\_export\_ . \$type

**Description:** Can be used for filter item data when doing export.

**Type:** filter

**For:**

wp-client

**Since:** 4.0.2

**Params:** bool|array \$csv\_data, array \$placeholders

## Delete Client

**Hook:** wpc\_client\_delete\_client

**Description:** Hook runs when Client account is deleted.

**Type:** action

**For:** wp-client

**Since:** 3.5.9

**Params:** int \$client\_id

## Delete Manager

**Hook:** wpc\_client\_delete\_manager

**Description:** Hook runs when WPC Manager account is deleted.

**Type:** action

**For:** wp-client

**Since:** 3.5.9

**Params:** int \$client\_id

## Delete WPC Admin

**Hook:** wpc\_client\_delete\_wpc\_admin

**Description:** Hook runs when WPC Admin account is deleted.

**Type:** action

**For:** wp-client

**Since:** 3.7.8.1

**Params:** int \$client\_id

## Circle created

**Hook:** wpc\_circle\_created

**Description:** Hook runs when Circle created.

**Type:** action

**For:** wp-client

**Since:** 4.1.6

**Params:** int \$new\_circle\_id, array \$args

## Circle updated

**Hook:** wpc\_circle\_updated

**Description:** Hook runs when Circle updated.

**Type:** action

**For:** wp-client

**Since:** 4.1.6

**Params:** array \$args

## Clients assign to Circle

**Hook:** wpc\_before\_assign\_clients\_group

**Description:** Hook runs when Clients assign to Circle.

**Type:** action

**For:** wp-client

**Since:** 4.1.6

**Params:** int \$group\_id, array \$clients\_id

## Clients assign to Circle

**Hook:** wpc\_assigned\_clients\_group

**Description:** Hook runs when Clients assign to Circle.

**Type:** action

**For:** wp-client

**Since:** 4.1.6

**Params:** int \$group\_id, array \$clients\_id

## Clients Tabs

**Hook:** wpc\_client\_clients\_tabs\_array

**Description:** Hook runs when Clients Tabs init.

**Type:** filter

**For:** wp-client

**Since:** 4.1.3

**Params:** array \$clients\_tabs

## Content Tabs

**Hook:** wpc\_client\_content\_tabs\_array

**Description:** Hook runs when Content Tabs init.

**Type:** filter

**For:**



wp-client

**Since:** 4.1.3

**Params:** array \$content\_tabs

## Add New Portal Page

**Hook:** wpc\_client\_insert\_portal\_page

**Description:** Hook runs when Admin/Manager added Portal Page.

**Type:** action

**For:** wp-client

**Since:** 4.2.9

**Params:** int \$post\_id

## Add/Edit Circle Form Ajax Response

**Hook:** wpc\_get\_circle\_data

**Description:** Hook runs on ajax response Add/Edit Circle Form.

**Type:** filter

**For:** wp-client

**Since:** 3.3.5

**Params:** int \$client\_id

## Add custom titles

**Hook:** wpc\_default\_custom\_titles

**Description:** Hook add default custom titles.

**Type:** filter

**For:** wp-client

**Since:** 3.7.7.1

**Params:** array \$default\_custom\_titles

## Hook after auto convert user

**Hook:** wpc\_client\_auto\_convert\_user

**Description:**

**Type:** action

**For:** wp-client

**Since:** 3.7.8.1

**Params:** string \$wpc\_role, int \$user\_id

## Custom Fields Data

**Hook:** wpc\_client\_custom\_fields\_data

**Description:** Can be used for change custom fields data.

**Type:** filter

**For:** wp-client

**Since:** 4.0.6

**Params:** array \$custom\_fields

## Need Pay For Get Access

**Hook:** wpc\_client\_need\_pay\_for\_access

**Description:** Can be used for checking access to portals, and redirecting to payment page if np access.

**Type:** action

**For:** wp-client

**Since:** 3.5.4

**Params:** int \$client\_id

## Replace Placeholders

**Hook:** wpc\_client\_replace\_placeholders

**Description:** Hook runs before placeholders are replaced. You can use it to add\edit\remove placeholders and their values.

**Type:** filter

**For:** wp-client

**Since:** 3.3.5

**Params:** array \$placeholders, array \$args, string \$label

## Replace content in method cc\_replace\_placeholders()

**Hook:** wpc\_client\_replace\_placeholders\_content

**Description:** Hook runs before placeholders are replaced. You can use it to edit\remove content.

**Type:** filter

**For:** wp-client

**Since:** 4.0.1

**Params:** array \$placeholders, array \$args, string \$label

## Change email data before send

**Hook:** wpc\_client\_send\_email\_data

**Description:** Hook filtered email data before send notification.

**Type:**

filter

**For:** wp-client

**Since:** 3.8.5

**Params:** array \$data\_array, string \$key, string \$placeholders\_label

## **New Client Registered**

**Hook:** wpc\_client\_new\_client\_registered

**Description:** Hook runs when Client account is registered.

**Type:** action

**For:** wp-client

**Since:** 3.4.1

**Params:** int \$client\_id, array \$userdata

## **New Client Added by Admin**

**Hook:** wpc\_client\_new\_client\_added

**Description:** Hook runs when Client account is added by Admin.

**Type:** action

**For:** wp-client

**Since:** 3.4.1

**Params:** int \$client\_id, array \$userdata

## **Before Client Updated**

**Hook:** wpc\_client\_before\_client\_updated

**Description:** Hook runs when Client account is updated.

**Type:** action

**For:** wp-client

**Since:** 3.4.1

**Params:** int \$client\_id, array \$userdata

## **Client Updated**

**Hook:** wpc\_client\_client\_updated

**Description:** Hook runs when Client account is updated.

**Type:** action

**For:** wp-client

**Since:** 3.4.1

**Params:** int \$client\_id, array \$userdata

## Client Saved

**Hook:** wpc\_client\_client\_saved

**Description:** Hook runs when Client account is registered or added by admin or updated.

**Type:** action

**For:** wp-client

**Since:** 3.4.1

**Params:** int \$client\_id, array \$userdata

## Email template filter for cc\_mail method

**Hook:** wpc\_client\_cc\_mail\_template

**Description:** Email template filter for cc\_mail method. You can use it to edit\remove email template.

**Type:** filter

**For:** wp-client

**Since:** 4.0.1

**Params:** array \$placeholders, array \$args, string \$label

## Hook after file category created when synchronization running

**Hook:** wpc\_client\_file\_category\_created

**Description:**

**Type:** action

**For:** wp-client

**Since:** 4.1.6

**Params:** int \$category\_id, array \$category\_data

## Sync File Saved

**Hook:** wpc\_client\_sync\_file\_saved

**Description:** Hook runs when File was inserted after FTP sync.

**Type:** action

**For:** wp-client

**Since:** 3.7.9.3

**Params:** array \$file

## Change filedata for file's shortcodes

**Hook:** wpc\_client\_build\_shortcode\_filedata

**Description:** Hook filtered filedata before output it to display.

**Type:** filter

**For:**

wp-client

**Since:** 3.8.6

**Params:** array \$filedata,array \$file,array \$data

## Add custom JS & CSS to WP-Client Pages

**Hook:** wpc\_client\_add\_custom\_scripts\_to\_page

**Description:** Hook runs when WP-Client Page is loaded.

**Type:** action

**For:** wp-client

**Since:** 3.7.8

**Params:** string \$page\_key

## Client Uploads File

**Hook:** wp\_client\_before\_client\_uploaded\_file

**Description:** Hook runs before client uploads file.

**Type:** filter

**For:** wp-client

**Since:** 3.8.0

**Params:** string \$error\_message, string \$filepath

## Client Uploads File

**Hook:** wp\_client\_client\_uploaded\_file

**Description:** Hook runs when client uploads file.

**Type:** action

**For:** wp-client

**Since:** 3.3.0

**Params:** array \$file\_data

## Link for thank you page

**Hook:** wpc\_client\_payment\_thank\_you\_page\_link

**Description:** Hook runs before redirect to thank you page.

**Type:** filter

**For:** wp-client

**Since:** 3.8.8

**Params:** string \$redirect, array \$order

## File Download Inaccessible

**Hook:** wpc\_client\_download\_inaccessible

**Description:** Hook runs when User haven't access to download current file.

**Type:** action

**For:** wp-client

**Since:** 4.1.3

**Params:**

## do actions before start Step of payment gateways

**Hook:** wpc\_client\_gateway\_before\_step

**Description:** Hook runs before start Step of payment gateways.

**Type:** action

**For:** wp-client

**Since:** 3.9.7.3

**Params:** string \$gateway\_name, string \$step, array \$order

## Filter Step Content of payment gateways

**Hook:** wpc\_client\_gateway\_step\_content

**Description:** Hook runs before return payment gateways step content.

**Type:** filter

**For:** wp-client

**Since:** 3.9.8

**Params:** string \$content, string \$gateway\_name, string \$step, array \$order

## Change \$\_REQUEST before submit Registration

**Hook:** wpc\_client\_before\_registration\_form\_submit

**Description:** Filter change \$\_REQUEST array before submit

**Type:** filter

**For:** wp-client

**Since:** 3.8.2

**Params:** array \$\_REQUEST

## Client Registration Form

**Hook:** wpc\_client\_registration\_form\_validation

**Description:** Can be used for validation custom fields on Client Registration Form.

**Type:** filter

**For:**

wp-client

**Since:** 3.9.0

**Params:** string \$error

## Redirect After Successful Registration

**Hook:** wpc\_client\_after\_registration\_redirect

**Description:** Can be used for change default redirect to Successful Client Registration Page.

**Type:** filter

**For:** wp-client

**Since:** 4.1.3

**Params:** string \$redirect\_link

## Client Registration Form

**Hook:** wpc\_client\_registration\_form\_custom\_html

**Description:** Can be used for adding custom fields on Client Registration Form.

**Type:** filter

**For:** wp-client

**Since:** 3.4.8

**Params:** string \$html

## Client Profile Form

**Hook:** wpc\_client\_profile\_custom\_html

**Description:** Can be used for adding custom fields on Client Profile Form.

**Type:** filter

**For:** wp-client

**Since:** 3.4.9

**Params:** string \$html

## Staff Profile Form

**Hook:** wpc\_client\_staff\_profile\_custom\_html

**Description:** Can be used for adding custom fields on Staff Profile Form.

**Type:** filter

**For:** wp-client

**Since:** 3.4.9

**Params:** string \$html